



Product Description

T8 LED glass tube light

T8 LED glass tube light provides a natural lighting effect for use in general lighting applications, as well as instant energy savings – an environmentally friendly solution. Energy-efficient T8 glass LED tube Lighting Systems, suitable for offices, retail environments, and other applications. Customized, material, packing and brand(OEM) are welcomed.

Advantage

- Energy saving

Todaybulb's glass led tube light is energy saving compared to traditional bulb. Reduced electricity costs thanks to significant energy saving.

- Long life

Todaybulb's glass led tube light tend to have a Longer lifetime minimizes re-lamping for reduced maintenance costs.

- Color temperatures (CCT) are selectable

Todaybulb's glass tube light bulb is available in different color temperatures 3000K 4000K 5000K 6500K, which can match with different settings.

- Tubes of various lengths are available


LED glass tube t8 has different wattage and lengths, which meet your various needs for matching with different sizes of your lighting fixture.

- Easy installation

Easy and safe installation in your existing lighting fixtures, no need ballast.



Milky glass cover



LED SMD 2835



IC Constant Current Driver



G13 Base

T8 LED glass tube light

Feature

- ✓ Milky glass cover
- ✓ Energy consumption less than half that of normal fluorescent lamps
- ✓ No mercury and environmentally friendly
- ✓ High lumen efficiency
- ✓ 25,000 hours lifetime, double that of normal fluorescent lamps

Application



Tri-proof light



Tube light fixture



Grille lamp

Specification

Model	Watts	Dimension					Base	Color Temperature	CRI (Ra)	Voltage (V)
		D1	D2	A1	A2	A3				
LTL-T8GL	8W	25.78 mm	28 mm	588.5 mm	595.5 mm	602.5 mm	G13	3000K 4000K 5000K 6500K	70, 80	120V 230V
LTL-T8GL	9W	25.7 mm	28 mm	588.5 mm	595.5 mm	602.5 mm				
LTL-T8GL	10W	25.8 mm	28 mm	588.5 mm	595.5 mm	602.5 mm				
LTL-T8GL	12W	25.78 mm	28 mm	893.3 mm	900.4 mm	907.5 mm				
LTL-T8GL	13W	25.8 mm	28 mm	1198.2 mm	1205.3 mm	1212.4 mm				
LTL-T8GL	14W	25.7 mm	28 mm	1198.2 mm	1205.3 mm	1212.4 mm				
LTL-T8GL	18W	25.8 mm	28 mm	1198.2 mm	1205.3 mm	1212.4 mm				
LTL-T8GL	20W	25.8 mm	28 mm	1198.2 mm	1205.3 mm	1212.4 mm				
LTL-T8GL	23W	25.7 mm	28 mm	1199.4 mm	1206.5 mm	1213.6 mm				
LTL-T8GL	24W	25.8 mm	28 mm	1498.7 mm	1505.8 mm	1498.7 mm				
LTL-T8GL	28W	25.8 mm	28 mm	1498.7 mm	1505.8 mm	1498.7 mm				
LTL-T8GL	31W	25.6 mm	27.9 mm	1500 mm	1506 mm	1514 mm				

T8 LED glass tube light

Dimensional drawing

